

Alcatel-Lucent 8019s DeskPhone

The Alcatel-Lucent 8019s DeskPhone offers a rich digital communications experience with great comfort and outstanding audio quality in both the hands free and comfort handsets.

This compact phone offers expert communications services from Alcatel-Lucent Enterprise communication servers: The 10 programmable keys, the large screen and the dial by name features offer an intuitive navigation experience. All of these elements facilitate the user's business day-to-day tasks.



8019s DeskPhone

The 8019s DeskPhone comes with customized clips and faceplates: It is the ideal bedside phone for hotels and hospitals.

This energy-efficient phone only requires cost-effective twisted pair digital connectivity, and it is centrally managed by the communication servers.

Features	Benefits
Compact and intuitive phone	Get the ideal phone for small desks, or for hotels and hospitals bedsides
Support of ALE communication features and navigation	Enjoy a direct access to a variety of services such as: welcome desk, reception, room service, nurse, emergency button, etc. through using contextual menus and 10 LED-enabled, programmable keys
Superlative voice quality	Experience enterprise-grade conversations
Customized clip and faceplates	Display the company, hotel or hospital logo and brand image
Compatible with 9 series Digital Phones (40x9 and 80x9)	Enjoy a modern, stylish design while leveraging the cost-effective digital connectivity





8019s DeskPhone with customized faceplate

Technical specifications

Mechanics

- Weight: 675 g (1.48 lbs) including handset
- Depth on a table: 200 mm (7.87 in)
- Depth with wall mounting kit, and handset: 100 mm (3.94 in)
- Width: 164 mm (6.46 in)
- Height: 170 mm (6.69 in)
- Color: Moon Grey
- Position foot: 45°

Display

- Visible area: 2.4 inches 128x64 pixels
- Graphical Black/White LCD display
- Viewing area (WxH): 54.8x28.5 mm (2.15 x 1.12 in)
- Contrast +/-
- White backlit LCD

Connectivity

- RJ-12 digital line interface
- RJ-12 external ringer and audio connector, active envelop indicator connectors
- RJ-9 connector for corded handset
- 4 poles 3.5 mm jack headset port

Power

- Power over digital line
- Power consumption: idle (0,2W) – active (0,75W)

Audio

- Comfort handset, hearing aid compatible (HAC)
- Full interactive handsfree, acoustic echo cancellation
- G711 (A-law and μ -law)

LEDs, keys and navigation

- Incoming call blinking LED: Back and front visibility
- Pickup/off-hook/call/redial key
- Hang-up/on-hook/end key
- Application keys with a contextual LED management:
 - Mute
 - Volume +/Volume -
 - Audio mode selection: Hands-free, loudspeaker, headset, or handset
 - Message key
- 4 keys navigation
- OK, cancel keys
- Numeric to alpha keypad: To switch to alpha character and perform dial by name, for example
- F1, F2 (or hold/transfer) with LED
- 4 programmable keys with LED and paper label
- 6 contextual keys around the screen

Languages

- Multi-language support (menu): Chinese, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Russian, Spanish, Slovak, Slovenian, Swedish, Taiwanese, Turkish

Regulatory standards

Safety

- EN 60950-1, EN 62368-1, IEC 60950-1, ANSI/UL 60950-1, CAN/CSA-C22.2 NO. 60950-1-07

EMC

- EN 55032 Class B, CISPR32 Class B, 47 CFR Part 15 B Class B, ICES-003 Class B, EN 55024, CISPR24, IEC 61000-6-1 (Residential, Commercial), IEC 61000-6-2 (Industrial), IEC 61000-6-3 (Residential, Commercial), IEC 61000-6-4 (Industrial), IEC 60945 (Maritime), IEC 62236-4 (Railway)

Telecom

- TIA/EIA 810-B

Hearing aid compatibility

- FCC47 CFR Part 68, Industry Canada
- CS-03 part V, Australia AS/ACIF S040

Eco-design

- ERP 2009/125/EC, ROHS 2011/65/EU, China ROHS GB/T26572, WEEE 2012/19/EU

Environmental conditions

- Operating temperature: -5°C to +45°C
- Relative humidity: 5% to 95%
- Storage/transportation temperature: -25°C/+70°C
- IEC 60529 (IP Class: IP 2x)

Serviceability

- Syslog mode

Product ships with

- DeskPhone with comfort handset
- Foot
- 3m network cable
- Safety sheet
- Transparent plastic cover with two double-sided paper labels
 - 123 <-> abc (to substitute to alpha keyboard; to perform dial by name for example), F1/F2 with 4 blank keys front side and or 123 <-> abc, hold, transfer with 4 blank keys on the back
 - 123 <-> abc, pictogram hold, transfer, conference, 3 blank keys front side, 123 <-> abc with 6 blank keys on the back

Customization

- Customizable clip: Logo printing, company co-branding
- Customizable faceplate: Please contact your sales representative

Accessories

- 3MG27210AA Wall mounting kit
- 3BN78158AB Low cost monaural jack
- 3.5 mm 4 Poles headset
- 3GV28047xx Monaural headset
- 3GV28048xx Binaural headset
- 3MG27032AA Wide band comfort handset
- 3MG08018AA 80XXS Jack 4-3 pole cable (x10)
- 3MG27215AB 8018-8019 Paper label (x64)
- Spare parts
 - 3MG27222AA 8018-8019 Transparent plastic cover and paper labels kit (x10)
 - 3MG27211AA 8018-8019 Customizable clip (x10)
 - 3MG27216AA 8018-8019 Plastic foot (x10)